


DETECTION/QUANTIFICATION OF MODEL TARGETED NUCLEOTIDE CHAIN BY HYBRID NUCLEOTIDE CHAIN SOLUTION METHOD (SOLUTION SYSTEM)




DETECTION/QUANTIFICATION OF MODEL TARGETED NUCLEOTIDE CHAIN BY HYBRID NUCLEOTIDE CHAIN SOLUTION METHOD (DRY METHOD)




DETECTION/QUANTIFICATION OF M13mp18 BY HYBRID NUCLEOTIDE CHAIN SOLUTION METHOD (DRY METHOD)









DETECTION/QUANTIFICATION OF MODEL TARGETED NUCLEOTIDE CHAIN BY PROBE NUCLEOTIDE CHAIN FIXING METHOD (SOLUTION SYSTEM)



DETECTION/QUANTIFICATION OF MODEL TARGETED NUCLEOTIDE CHAIN BY PROBE NUCLEOTIDE CHAIN FIXING METHOD (DRY METHOD)



DETECTION/QUANTIFICATION OF M13mp18 BY PROBE NUCLEOTIDE CHAIN FIXING METHOD (DRY METHOD)



DETECTION/QUANTIFICATION OF TERGETED mRNA BY PROBE NUCLEOTIDE CHAIN FIXING METHOD





FIG. 9

DETECTION/QUANTIFICATION OF DOUBLE-STRANDED NUCLEOTIDE CHAIN (SOLUTION SYSTEM)



DETECTION / QUANTIFICATION OF DOUBLE-STRANDED NUCLEOTIDE CHAIN (DRY METHOD)





FIG. 11

DETECTION/QUANTIFICATION OF TRIPLE-STRANDED NUCLEOTIDE CHAIN USING P2



DETECTION/QUANTIFICATION OF QUADRUPLE-STRANDED NUCLEOTIDE CHAIN USING P2

